

Cumulative Index 1990

Volume 8

January	CONTACT DERMATITIS: A Festschrift for Dr. Alexander A. Fisher, pages 1-218
April	INSECT BITES AND STINGS/SKIN SIGNS OF INTERNAL DISEASE II, pages 219-380
July	LIPOSUCTION, pages 381-591
October	IMMUNODERMATOLOGY, pages 593-806

Note: Page numbers of article titles are in **boldface** type.

- Abdomen, liposuction of, 399, 404-405
 Acaroides, dermatitis due to, 272-273
 Acne rosacea, eye involvement in, 307, 309
 Acquired immunodeficiency syndrome, 771-786
 clinical features of, 776-783
 diagnosis of, 773-774
 epidemiology of, 771-772
 etiology of, 772-773
 pathophysiology of, 774-776
 prevention of, 784-785
 treatment of, 783-784
 Acrylic acid, contact dermatitis due to, patch testing for, 193-195
 Acyclovir, for herpesvirus infections. See *Herpesvirus infections*.
 Adhesive bandages, contact dermatitis due to, patch testing for, 147-152
 case reports of, 148-150
 methods in, 147
 Adhesives, medical, contact dermatitis due to, 97-98
 Adipose tissue, anatomy of, 395
 biochemistry of, 385-393
 in obesity, 387
 lipogenesis, 385-386
 lipolysis, 386
 mediators of fat metabolism, 386-387
 regional distribution differences, 388-390
 health implications of, 390-392
 AIDS. See *Acquired immunodeficiency syndrome*.
 Albinism, eye involvement in, 307
 Allergen control, in contact dermatitis, 197-204
 treatment of corticosteroid dermatosis, 198, 201
 treatment of dental metal eruption, 202-203
 treatment of pigmented cosmetic dermatitis, 197-198
 treatment of underwear dermatitis, 201-202
 Allograft rejection, in organ transplants, inhibition of, monoclonal antibodies in, 605
 Alopecia, minoxidil for. See *Minoxidil*.
 Alstroemeria, contact dermatitis due to, patch testing for, 73-76
 Aluminum chloride hexahydrate, for axillary hyperhidrosis, 480
 Amalgam dental restorations, contact dermatitis due to, allergen control in, 202-203
 mercury in, contact dermatitis due to, patch testing for, 157-160
 Amantadine, and livedo reticularis, 351
 Ammonium persulfate, contact dermatitis due to, in hairdressers, 123-124
 Ammonium thioglycolate, contact dermatitis due to, in hairdressers, 123
 Analgesic spray, contact dermatitis due to, patch testing for, 137-138
 Anesthesia, for fat grafting, in facial recontouring, 527-528
 for fat transplant, in hand rejuvenation, 554
 for liposuction, 415-416, 421-424, 440-447, 453-454, 458-459
 decreased risks of, in tumescent technique, 427-428
 for axillary hyperhidrosis, 481
 for gynecomastia, 470
 legal aspects of, 577
 local anesthesia only, 422
 administration of, 423
 ingredients for, 422-423
 without nerve block, 426
 safety of, 423, 564-565
 wet vs. dry techniques, 421-422
 with facelift surgery, 509
 for reduction syringe liposculpturing, 544
 Angioedema, diagnosis of, 292
 hereditary, complement system in, 614-615
 Angioid streaks, of retina, in pseudoxanthoma elasticum, 306
 Angiolipomas, liposuction for, 491
 Ankles, liposuction of, 411-412, 419
 Anticholinergics, for axillary hyperhidrosis, 480
 Anticoagulants, preoperative evaluation of, in surgical patient, 791-792
 Antigen processing, by Langerhans cells. See *Langerhans cells*.
 Antimalarials, for lupus erythematosus, 362-363
 Antioxidants, contact dermatitis due to, 151
 Antiperspirants, for axillary hyperhidrosis, 479-480

- Arachnida, dermatitis due to. *See* *Mites*.
- Arms, liposuction of, 399-400, 402-404
- Arteritis, giant cell, clinical features of, 342
- Takayasu's, clinical features of, 342-343
- Arthritis, rheumatoid, pemphigoid in, 703
- Arthus reaction, in vasculitis, 681
- Aspergillosis, in transplant patients, 316-317
- Astigmata, dermatitis due to, 272-274
- Atopic dermatitis, 747-750
- IgE abnormalities in, 748-750
- immune deficiency and defective cell-mediated immunity in, 747-748
- predisposing to contact dermatitis, 17
- Atopic eczema, eye involvement in, 307
- Atopy, in hairdressers, 121-122
- Autocrine growth regulation, cytokines and growth factors in, 654-655
- Axillary hyperhidrosis, iontophoresis for, 480
- liposuction for, 417, 479-482
- anesthesia in, 481
- cannula manipulation in, 481
- postoperative dressings for, 481
- technique for, 481
- surgery for, 480-481
- systemic agents for, 480
- topical antiperspirants for, 479-480
- Azathioprine, for lupus erythematosus, 363
- for pemphigoid, 710
- for skin diseases, in transplant patients, 320
- AZT, for acquired immunodeficiency syndrome, 783-784
- Bacterial infections, in acquired immunodeficiency syndrome, 779
- in transplant patients, 317-318
- Balsam of Peru, contact dermatitis due to, 86
- Bandages, adhesive. *See* *Adhesive bandages*.
- Basal cell carcinoma, preoperative evaluation of, in surgical patient, 787-788
- Behcet's syndrome, eye involvement in, 304
- Beta-blockers, preoperative evaluation of, in surgical patient, 792
- Betadine. *See* *Povidone-iodine*.
- Black widow spiders, bites due to. *See* *Spiders*.
- Bleaching solutions, contact dermatitis due to, in hairdressers, 119, 123-124
- Bleeding diathesis, preoperative evaluation of, in surgical patient, 790
- Breasts, liposuction of, in men, 404, 417
- Brown recluse spiders, bites due to. *See* *Spiders*.
- Bullous diseases, complement system in, 615
- Bullous pemphigoid. *See* *Pemphigoid*.
- Buttocks, liposuction of, 406-408, 409-410
- C3a, in complement system, 612
- C3e, in complement system, 612-613
- C4a, in complement system, 612
- C5a, in complement system, 612
- Calcium gluconate, for spider bites, 284
- Calves, liposuction of, 411-412, 419
- Cancer, in females, risk of, regional obesity and, 391
- Candidal infections, in acquired immunodeficiency syndrome, 779
- in transplant patients, 315
- Cannulas, contact dermatitis due to, 103
- Capillary fragility, in pregnancy, 328
- Carcinoma, basal cell, preoperative evaluation of, in surgical patient, 787-788
- in transplant patients, 318-319
- squamous cell, preoperative evaluation of, in surgical patient, 788
- Cardamom, contact dermatitis due to, 89-90
- Cardiac disease, preoperative evaluation of, in surgical patient, 790-791
- Cardiology products, contact dermatitis due to, 98-99
- Cardiovascular disease, risk of, regional obesity and, 390-391
- Castor beans, contact dermatitis due to, 181-188
- case report of, 181
- light and electron microscopy of, 182-185
- patch testing for, 185-187
- Cataracts, in skin diseases, 309
- Caterpillars, dermatitis due to, 245-252
- clinical features of, 247
- medical implications of, 245-246
- pathophysiology of, 247-248
- selected organisms in, 249-251
- treatment of, 248-249
- Catheters, contact dermatitis due to, 103
- Cats, scabies in, 262
- Cellular immune response, regulation of, lymphokines in, 600
- Cement, containing iron sulfate, contact dermatitis due to, patch testing for, 173-176
- atomic absorption spectrophotometry in, 173-174
- materials and methods in, 173-174
- results of, 174
- Central nervous system disease, in acquired immunodeficiency syndrome, 780-781
- Cerebral thrombosis, and livedo reticularis, 350
- Chediak-Higashi syndrome, eye involvement in, 307
- Chemicals, contact urticaria due to. *See* *Contact urticaria*.
- Chemotactic factors, as mast cell mediators, 623
- Chemotherapy, for skin diseases, in transplant patients, 320
- Cheyletiellidae, dermatitis due to, 270
- Chin, liposuction of, 416-417
- Chloracne, 209-213
- cutaneous findings in, 210-211
- distribution of lesions in, 209-210
- environmental aspects of, 212
- histopathology of, 211-212
- history in, 209
- morphology of, 210
- noncutaneous findings in, 211
- treatment and prevention of, 212-213
- Chlorinated products, contact dermatitis due to, 96
- Chloroquine, for skin diseases, eye involvement in, 309-310
- Cholestasis, in pregnancy, 332
- Chromic catgut, contact dermatitis due to, 96-97
- Churg-Strauss granulomatosis, clinical features of, 338-341
- Cicatricial pemphigoid, clinical features of, 710-712
- eye involvement in, 297, 299
- treatment of, 713
- Cigarette smoking, preoperative evaluation of, in surgical patient, 791
- Cinnamon, contact dermatitis due to, 90-91
- Clenbuterol, contact dermatitis due to, patch testing for, 115-117
- Clover mites, dermatitis due to, 271
- Coats' disease, eye involvement in, 305

- Collagen, autologous, in fat grafting, in facial recontouring, 531-532
- Collagen vascular diseases, and livedo reticularis, 350
- Colloid BP, formulation of, contact dermatitis due to, patch testing for, 143-146
- Common variable immunodeficiency, immune system organization in, 596
- Complement system, 609-618
 alternative pathway of, 611
 classic pathway of, 609
 control proteins of, 613-614
 evaluation of, 614
 in bullous diseases, 615
 in hereditary angioedema, 614-615
 in necrotizing vasculitis, 615
 in paroxysmal nocturnal hemoglobinuria, 616
 in pemphigoid, 709
 in porphyrias, 615-616
 in recurrent pyogenic infections, 615
 in systemic lupus erythematosus, 615
 membrane attack complex of, 611-612
 products of complement activation, 612-613
 receptors of, 614
- Conjunctivitis, in chloracne, 211
- Connective tissue diseases, vasculitis in, 685
- Contact dermatitis, allergen control in. See *Allergen control*.
- batch variations in, 23-25
 case report of, 23-24
- cutaneous irritation in, factors predisposing to, 17-22
 age, 18, 19
 anatomic variation, 19
 bioengineering tests of, 19
 biometric tests of, 18-19
 gender, 18, 19-20
 history, 18
 race, 20
 sensory irritation, 20
 skin diseases, 17-18
 skin physiology, 20-21
- immune mechanisms in, 3-11
 antibody responses, 4
 antigen presentation by Langerhans cells, 5-6
 cellular components in, 7-8
 desensitization and tolerance, 9
 genetic factors, 5
 immunization with hapten-derivatized epidermal cells, 7
 Langerhans cellular events, 6
 lymphatic drainage, 3
 manner of immunization, 4
 reactive haptens, 4
 route of immunization, 4-5
 studies with polyaromatic hydrocarbons, 6-7
 studies with ultraviolet radiation, 6
 T-cell activation, 5
 Thy-1 + dendritic epidermal cells, 7
 transfer by lymphoid cells, 3
- in hairdressers. See *Hairdressers*.
- in hospital patients, 95-105
 to antiseptics, 95-96
 to cardiology products, 98-99
 to catheters and cannulas, 103
 to hemodialysis products, 102-103
 to medical adhesives, 97-98
 to pacemakers, 100, 189-192
 to suture material, skin clips, and retractors, 96-97
 to transdermal drug delivery systems, 99-100
 with stomas, 100-102
- molecular recognition of, double-headed haptens in, 13-16
 nonresponse vs. immunologic tolerance in, 16
 testing procedure for, 13-16
- mycosis fungoides and, 169-171
 to acrylic acid, 193-195
 to adhesive bandages. See *Adhesive bandages*.
 to airborne nitrofurazone, 165-168
 to *Alstroemeria*, 73-76
 to analgesic spray, 137-138
 to castor beans. See *Castor beans*.
 to chromium, in cement. See *Cement*.
 to clenbuterol, 115-117
 to colophony, in formulation of flexible colloid BP, 143-146
 to detergents. See *Detergents*.
 to ethylenediamine. See *Ethylenediamine*.
 to *Magnolia grandiflora*. See *Magnolia grandiflora*.
 to mercury, in amalgam dental restorations, 157-160
 to metals. See *Metals*.
 to nasturtium. See *Nasturtium*.
 to nickel. See *Nickel*.
 to nystatin, 153-155
 to pacemakers, 100, 189-192
 to *Neisseria* species, 67-71
 to povidone-iodine. See *Povidone-iodine*.
 to ranitidine base, 115-117
 to ranitidine hydrochloride, 115-117
 to rubber. See *Rubber*.
 to safety clothes and protective devices. See *Safety clothes*.
 to sculptured nails, 139-141
 to spices. See *Spices*.
 to systemically administered drugs. See *Systemic drugs*.
 to thimerosal, in hepatitis B vaccines, 161-164
- Contact urticaria, due to chemicals, 57-60
 testing procedure for, 58-59
 results of, 58
 due to rubber. See *Rubber*.
- Coriander, contact dermatitis due to, 90
- Corticosteroids, dermatoses due to, allergen control in, 198, 201
 for cicatricial pemphigoid, 299
 for dermatomyositis, 304
 for erythema multiforme major, 301
 for herpes gestationis, 329, 331
 for lupus erythematosus, 362-363
 for pemphigoid, 710, 713
 for pemphigus, 300, 692
 for pruritic urticarial papules and plaques of pregnancy, 331
 for skin diseases, eye involvement in, 310
 in transplant patients, 320
 for spider bites, 282
 for Wegener's granulomatosis, 337
 preoperative evaluation of, in surgical patient, 792
- CR1, in complement system, 614
 CR2, in complement system, 614
 CR3, in complement system, 614
- Cryptococcal infections, in transplant patients, 315-316
 Cryptococcal meningitis, in acquired immunodeficiency syndrome, 781
- Curry, contact dermatitis due to, 85, 90
- Cutis marmorata, clinical features of, 348
- Cyclophosphamide, for pemphigoid, 710, 713
- Cyclosporine, for epidermolysis bullosa acquisita, 724
 for pemphigoid, 710
 for pemphigus, 694
 for skin diseases, in transplant patients, 320

- Cytoid bodies, in lupus erythematosus, 302
- Cytokines, and growth factors, 649-661
 effects of ultraviolet irradiation on, 656-657
 functions of, 651-654
 neural, 656
 novel, 656
 proinflammatory, and epidermal disease, 657
 regulation of cellular functions by, 649-651
 wound healing and autocrine growth regulation by, 654-655
 in psoriasis. *See Psoriasis.*
- Cytomegalovirus, acyclovir for, 586
 in acquired immunodeficiency syndrome, 779
 in transplant patients, 313-314
- Dapsone, for dermatitis herpetiformis, 765
 for lupus erythematosus, 363-364
 for pemphigoid, 710
 for pemphigus, 694
 for spider bites, 282
- Demodicidae, dermatitis due to, 270
- Dendritic cells, 673-679
 dermal dendrocytes, 677-678
 epidermal T lymphocytes, 676-677
 Langerhans cells. *See Langerhans cells.*
- Dendrocytes, dermal, 677-678
- Dermatitis, atopic. *See Atopic dermatitis.*
 contact. *See Contact dermatitis.*
 due to caterpillars. *See Caterpillars.*
 due to mites. *See Mites.*
 papular, in pregnancy, 332-333
- Dermatitis herpetiformis, 759-769
 clinical features of, 759-760
 conditions associated with, 764
 gluten-sensitive enteropathy in, 762-763
 histologic features of, 760
 immunogenetic factors in, 763-764
 immunopathology of, 760-762
 treatment of, 765
- Dermatomyositis, eye involvement in, 304
- Dermatopharmacology, for skin diseases, eye involvement in, 309-310
 in transplant patients, 320
- Dermatophyte infections, in transplant patients, 315
- Dermatoses, corticosteroids and, allergen control in, 198, 201
- Detergents, contact dermatitis due to, evaluation of, visual scoring vs. transepidermal water loss in, 33-35
 interindividual reactivity in, 35
- Diabetes mellitus, eye involvement in, 305
 pemphigoid in, 703
 preoperative evaluation of, in surgical patient, 791
 risk of, regional obesity and, 390
- Diarrhea, in acquired immunodeficiency syndrome, 779
- Diethylthiourea, contact dermatitis due to, 130, 131
- Dioxins, chloracne due to, 212
- Dipentamethylenethiuram disulfide, contact dermatitis due to, 127, 128
- Dirofilariasis, vs. Wells' syndrome, 291
- Diving equipment, contact dermatitis due to, 130-131
- Dogs, scabies in, 260-262
- Drugs, systemic. *See Systemic drugs.*
- Drysol, for axillary hyperhidrosis, 480
- Duofilm, formulation of, contact dermatitis due to, patch testing for, 143-146
- Dyes, synthetic organic, contact dermatitis due to, in hairdressers, 119
- Ecchymoses, due to fat grafting, in facial recontouring, 534
- Eczema, atopic, eye involvement in, 307
 in rubber dermatitis, 50
 of hands, in nickel dermatitis, 38
- Edema, due to fat grafting, in facial recontouring, 534
 in pregnancy, 329
- Ehlers-Danlos syndrome, eye involvement in, 306-307
- Electrocardiographic gels, contact dermatitis due to, 98-99
- Enzyme-linked immunosorbent assay, for acquired immunodeficiency syndrome, 773
- Enzymes, as mast cell mediators, 623-624
- Eosinophils, in Wells' syndrome. *See Wells' syndrome.*
- Epidermal disease, proinflammatory cytokines and, 657
- Epidermal T lymphocytes, dendritic, 676-677
- Epidermolysis bullosa acquisita, 717-726
 diagnosis of, 723
 immunoelectron microscopy in, 718
 special tests in, 721
 etiology of, 722-723
 history and clinical spectrum of, 717-718
 immunofluorescence studies of, salt-separated substrate for, 720
 systemic diseases associated with, 722
 treatment of, 723-724
 type VII antigen in, 718, 720
 autoantibodies to, 721-722
 vs. bullous pemphigoid, 708
- Epinephrine, and blood loss, during liposuction, 466-468
 with lidocaine, in liposuction. *See Lidocaine.*
- Epoxy resins, contact dermatitis due to, 135
 in stoma patients, 101
- Epstein-Barr virus infections, acyclovir for, 586
- Erythema, in contact urticaria, 57-60
 palmar, in pregnancy, 328
- Erythema elevatum diutinum, clinical features of, 683, 685
- Erythema multiforme major, eye involvement in, 300-302
- Erythridids, dermatitis due to, 271
- Erythromycin, for pemphigoid, 710
- Ethylenediamine, contact dermatitis due to, 133-136, 178-179
 cross-reactions with, 134-135
 in Mycolog cream, 134
 occupational, 133-134
 patch testing for, 134
- Eyes, skin diseases and, 297-311
 acne rosacea, 307, 309
 albinism, 307
 Behcet's syndrome, 304
 cicatricial pemphigoid, 297, 299
 dermatomyositis, 304
 dermatopharmacology for, 309-310
 diabetes mellitus, 305
 ectopic eczema, 307
 Ehlers-Danlos syndrome, 306-307
 erythema multiforme major, 300-302
 hyperlipidemias, 305
 hyperthyroidism, 305-306
 juvenile rheumatoid arthritis, 304
 juvenile xanthogranuloma, 309
 lupus erythematosus, 302
 pemphigus, 299-300
 pseudoxanthoma elasticum, 306
 Reiter's syndrome, 304-305
 rheumatoid arthritis, 302-303
 sarcoidosis, 309
 Sjogren's syndrome, 303-304

- Face, liposuction of, 402, 416-417
 recontouring of, fat grafting in. *See* **Fat grafting.**
- Facelift surgery, liposuction with, 501-522
 advantages of, 512-513
 age as criterion in, 503
 cannula manipulation in, 508-509
 consultation for, 505-507
 evaluating deep tissue anatomy for, 503-504
 evaluating patient for liposuction alone, 504-505
 evaluating superficial anatomy for, 504
 evolution of, 501-503
 improved safety, 502-503
 improved scarlines, 502
 technical improvements, 502
 fat grafting in, 509-510
 importance of patient's choice, 505
 judging patient for, 503
 technique for, 507-509, 510-512
- Fasciitis, eosinophilic, 292
- Fat grafting, in facelift surgery, with liposuction, 509-510
 in facial recontouring, 523-537
 anesthesia for, 527-528
 complications of, 534
 disinfecting operative zone for, 526
 equipment for, 528-529
 implant conservation in, 532, 534
 indications for, 523-525
 marking operative zones for, 525-526
 preoperative examination for, 525
 results of, 534, 536-537
 techniques for, 528-532
 autologous collagen, 531-532
 cellular micro-implants, 531
 cylinders extraction, 529
 delayed harvesting, 532
 reinjection, 529, 531
 remodeling of injected region, 531
 tissue micro-implants, 534
 washing, 529
- Fire ants, stings due to, 233-235
- Flanks, liposuction of, 398-399, 405-406, 418
- Flies, and myiasis, 237-244
 family Ceratopogonidae, 239
 family Culicidae, 237
 family Muscidae, 239
 family Psychodidae, 237
 family Simulium, 237, 239
 family Tabanidae, 239
 furuncular myiasis, 241-243
 intestinal myiasis, 243
 tsetse flies, 239
 wound myiasis, 240-241
- Fogo selvagem, clinical features of, 690
- Follicle mites, dermatitis due to, 270
- Folliculitis, pruritic, in pregnancy, 333
- Formaldehyde, contact dermatitis due to, in hairdressers, 123
- Fowl mites, dermatitis due to, 267-268
- Fungal infections, in transplant patients, 315-317
- Gluten-sensitive enteropathy, in dermatitis herpetiformis, 762-763
- Glyceryl monothioglycolate, contact dermatitis due to, in hairdressers, 123
- Gold, parenteral, for pemphigus, 692, 694
- Graft-vs.-host disease, in transplant patients, 320-323
- Granulomas, pyogenic, in pregnancy, 328
- Granulomatous vasculitides, 335-345
 Churg-Strauss granulomatosis, 338-341
 cutaneous granulomatous vasculitis, 341-342
 giant cell arteritis, 342
 lymphomatoid granulomatosis, 337-338
 Takayasu's arteritis, 342-343
 Wegener's granulomatosis, 335-337
- Graves' disease, eye involvement in, 305-306
- Growth factors, cytokines and. *See* **Cytokines.**
- Gynecomastia, liposuction for, 404, 417, 469-478
 anesthesia for, 470
 cannula manipulation in, 470, 472
 postoperative dressings for, 472
 results of, 474
 technique for, 470-472
 subcutaneous mastectomy for, 470
- Hair, changes in, in pregnancy, 328
- Hairdressers, contact dermatitis in, patch testing for, 119-126
 atopic status, 121-122
 formaldehyde, 123
 hairdressing allergens, 123-124
 outcome of, 124
 positive response to nickel, 122-123
 types of dermatitis, 121
 prevention of, 124-125
- Hands, lymphedema of, due to occupational trauma, 205-208
 rejuvenation of, fat transplant in, 553-561
 evaluating patient for, 554
 harvesting fat for, 554-555
 injecting fat for, 555, 558
 postoperative care of, 558
- Health care workers, acquired immunodeficiency syndrome in, 772
- Hemodialysis products, contact dermatitis due to, 102-103
- Hemoglobinuria, paroxysmal nocturnal, complement system in, 616
- Henoch-Schönlein purpura, clinical features of, 683
- Heparin, as mast cell mediator, 624
 preoperative evaluation of, in surgical patient, 792
- Hepatitis B vaccines, thimerosal in, contact dermatitis due to, patch testing for, 161-164
- Hepatotoxicity, in chloracne, 211
- Hermansky-Pudlak syndrome, eye involvement in, 307
- Herpes gestationis, 727-735
 clinical features of, 727-729
 differential diagnosis of, 729
 histopathology of, 729
 immunogenetics of, 732
 immunopathology of, 729-731
 in pregnancy, 329, 331
 incidence of, 727
 laboratory studies of, 731-732
 onset of, 727
 pathogenesis of, 732
 prognosis for, 733-734
 relation with bullous pemphigoid, 733
 treatment of, 734
- Garlic powder, contact dermatitis due to, 85-86
- Gastrointestinal system, lymphoma of, in dermatitis herpetiformis, 764
- Giant cell arteritis, clinical features of, 342
- Glucocorticosteroids, for herpes gestationis, 734
 for pemphigus, 692
- Gluten-free diet, for dermatitis herpetiformis, 765

- Herpesvirus infections, acyclovir for, 583-587
 activation of, 583
 adverse effects of, 585
 cytomegalovirus infections, 586
 Epstein-Barr virus infections, 586
 herpes simplex infections, 583-585
 in pregnancy, 585
 resistance to, 585
 varicella-zoster infections, 585-586
 in transplant patients, 313-314
- Hips, liposuction of, 406-409, 418
- Hirsutism, in pregnancy, 328
- Histamine, as mast cell mediator, 622-623
- Histoplasmosis, in transplant patients, 316-317
- HIV infection. See *Acquired immunodeficiency syndrome*.
- Homosexual men, acquired immunodeficiency syndrome in, 771-772
- Honeybees, stings due to, 230-231
- Hornets, stings due to, 231
- Horses, scabies in, 262
- House dust mites, dermatitis due to, 273
- Human immunodeficiency virus. See *Acquired immunodeficiency syndrome*.
- Humoral immune response, regulation of, lymphokines in, 600
- Hydrophyllaceae, contact dermatitis due to, patch testing for, 67-71
- Hydroquinone creams, for melasma, in pregnancy, 328
- Hydroquinones, and leukoderma, in rubber dermatitis, 51
- Hydroxychloroquine, for skin diseases, eye involvement in, 309-310
- Hydroxychloroquine sulfate, for lupus erythematosus, 362
- Hydroxyzine, contact dermatitis due to, 135
- Hyper eosinophilic syndrome, diagnosis of, 292
- Hyperhidrosis, axillary. See *Axillary hyperhidrosis*.
- Hyperkeratosis, in chloracne, 211
- Hyperlipidemias, eye involvement in, 305
- Hyperlipoproteinemias, eye involvement in, 305
- Hyperpigmentation, in pregnancy, 327-328
- Hypersensitivity reactions, immediate. See *Immediate hypersensitivity reactions*.
- Hypothyroidism, eye involvement in, 305-306
- Hypodermoclysis, in liposuction, 448
- IgE, and immediate hypersensitivity reactions. See *Immediate hypersensitivity reactions*.
- in atopic dermatitis, 748-750
- IgE antibodies, in rubber dermatitis, 53
- IL-2 receptor, multichain, on activated T and B cells, 600-603
- Immediate hypersensitivity reactions, IgE and, 619-631
 mast cell mediators in, 622-626
 clinical features of, 626
 mast cell stimulators in, 620-622
 mast cells and their subpopulations in, 619-620
- Immune system, complement system in. See *Complement system*.
- cytokines and growth factors in. See *Cytokines*.
- dendritic cells in. See *Dendritic cells*.
- immediate hypersensitivity in. See *Immediate hypersensitivity*.
- in acquired immunodeficiency syndrome. See *Acquired immunodeficiency syndrome*.
- in atopic dermatitis. See *Atopic dermatitis*.
- in contact dermatitis. See *Contact dermatitis*.
- in dermatitis herpetiformis. See *Dermatitis herpetiformis*.
- in epidermolysis bullosa acquisita. See *Epidermolysis bullosa acquisita*.
- in herpes gestationis. See *Herpes gestationis*.
- in lupus erythematosus. See *Lupus erythematosus*.
- in pemphigoid. See *Pemphigoid*.
- in pemphigus. See *Pemphigus*.
- in psoriasis. See *Psoriasis*.
- in vasculitis. See *Vasculitis*.
- Langerhans cells in. See *Langerhans cells*.
- organization of, 593-607
 B-cell differentiation in, 593-594
 immunotherapy directed at lymphokine receptors, 603-605
 in immunodeficiency diseases, 594-597
 lymphokines in regulation of humoral and cellular immune response, 600
 molecular genetic analysis of immunoglobulin and T-cell receptor genes, 597-600
 multichain IL-2 receptors on activated T and B cells, 600-603
 T-cell antigen receptors in. See *T-cell antigen receptors*.
- Immunodeficiency diseases, immune system organization in, 594-597
- Immunofluorescence studies, of cicatricial pemphigoid, 299
 of epidermolysis bullosa acquisita, 720, 723
 of herpes gestationis, 329, 729-731
 of pemphigoid, 704-705
 of pemphigus, 300
- Immunoglobulin receptor genes, molecular genetic analysis of, 597-600
- Immunosuppressive agents, for cicatricial pemphigoid, 299
 for dermatomyositis, 304
 for pemphigoid, 710, 713
 for pemphigus, 300, 692
 for rheumatoid arthritis, 303
 preoperative evaluation of, in surgical patient, 792
- Immunotherapy, directed at IL-2 receptors, 603-605
- Impetigo herpetiformis, in pregnancy, 331-332
- Infections, and livedo reticularis, 351
 herpesvirus. See *Herpesvirus infections*.
- in acquired immunodeficiency syndrome, 779-780, 781
 in stoma patients, 101
 in transplant patients. See *Transplant patients*.
- recurrent pyogenic, complement system in, 615
- Inflammatory cellular events, in pemphigoid, 709
- Infraumbilical area, liposuction of, 417-418
- Insect stings, 229-236
 and Wells' syndrome. See *Wells' syndrome*.
- due to flies. See *Flies*.
- due to honeybees, 230-231
 due to hornets, 231
 due to imported fire ants, 233-235
 due to spiders. See *Spiders*.
- due to wasps, 231
 treatment of, 231-233
 types of reactions to, 229-230
- Interferons, for acquired immunodeficiency syndrome, 784
- Interstitial pneumonitis, in acquired immunodeficiency syndrome, 779
- Intertrigo, in stoma patients, 101
- Intravenous drug users, acquired immunodeficiency syndrome in, 772
- Iodine compounds, contact dermatitis due to, 95-96
- Iontophoresis, for axillary hyperhidrosis, 480
- Iritis, in juvenile rheumatoid arthritis, 304

- Iron sulfate, in cement, contact dermatitis due to. See *Cement*.
- Isotretinoin, for lupus erythematosus, 364
- Jacquemier's sign, in pregnancy, 328
- Jaundice, in pregnancy, 332
- Juvenile rheumatoid arthritis, eye involvement in, 304
- Juvenile xanthogranuloma, eye involvement in, 309
- Kaposi's sarcoma, in acquired immunodeficiency syndrome, 782
- in transplant patients, 319-320
- Karaya ring, for skin protection, in stoma patients, 101
- Kawasaki syndrome, house dust mites and, 273
- Keratoacanthomas, in transplant patients, 318
- Keratoconjunctivitis sicca, in rheumatoid arthritis, 302
- in Sjogren's syndrome, 303
- Keratosis, in rubber dermatitis, 50-51
- in transplant patients, 318
- Klein handle, in liposuction, 428, 430, 431
- Klein lamprey cannula, in liposuction, 431
- Klein needle, in liposuction, 429, 440, 446, 458-459
- Knees, liposuction of, 410-411, 418-419
- Kwell, for scabies, 259
- Langerhans cells, antigen processing and presentation by, 633-647
- activation of CD4+ T cells, 634-635
- adhesion molecules, 640-641
- class II MHC molecules, 639
- epidermal Langerhans cells, 636-637
- for CD4+ T cells, 637-639
- induction of different immune responses by disparate cells, 641-642
- induction of unresponsiveness by low-dose UVB-irradiated cells, 642-644
- internalization and acidification of HLA-DR molecules, 640
- MHC restriction and selection of immunodominant peptides, 639-640
- T and B cells, 633-634
- as immunocytes, 673-675
- in contact dermatitis, 5-6
- in vitro functions of, 675
- in vivo functions of, 676
- Laser Doppler flowmetry, to assess irritation due to patch testing, for nickel dermatitis. See *Nickel*.
- Latrodectus, bites due to. See *Spiders*.
- Laurus nobilis*, contact dermatitis due to, 91-92
- Law, and liposuction, 569-580
- abandonment, 575-576
- alternative treatment, 574
- anesthesia, 577
- battery, 575
- defamation of character, 575
- failure to diagnose, 572-573
- failure to seek proper consultation, 573
- following physician's orders, 576
- infliction of mental distress, 575
- informed consent, 573-574
- invasion of privacy, 575
- keeping adequate records, 570-571
- lawsuits, 577-579
- maintaining and handling equipment and drugs, 576
- managerial responsibilities, 570
- misdiagnosis, 573
- misrepresentation and fraud, 574
- operating room injuries, 576-577
- product liability, 570
- proper documentation, 574-575
- protecting patient valuables, 571
- providing adequate equipment and facilities, 571-572
- providing adequate insurance, 572
- providing safe working environment, 572
- training of nurses and assistants, 576
- treatment outside field of expertise, 573
- Leather gloves, contact dermatitis due to, 128
- Lepidoptera, dermatitis due to. See *Caterpillars*.
- Leukocytes, in psoriasis. See *Psoriasis*.
- Leukoderma, in rubber dermatitis, 51
- Lice. See *Pediculosis*.
- Lichen planus, pemphigoid in, 703-704
- Lidocaine, in fat grafting, in facial recontouring, 527
- in fat transplant, in hand rejuvenation, 554
- in liposuction, 422-423, 433-435, 440-446, 453-454, 459, 564-565
- for axillary hyperhidrosis, 481
- Lindane, for head lice, 221
- for scabies, 259
- Lipocurettage, definition of, 396
- Lipodissection, definition of, 395
- Lipolysis, definition of, 395-396
- Lipomas, clinical features of, 483-484
- liposuction of, 483-492
- multiple lipomas, 489-490
- benefits of, 489
- solitary lipomas, 484-489
- benefits of, 484, 486
- cannula manipulation in, 487
- technique for, 486-487, 489
- Liposarcomas, liposuction for, 491
- Liposculpturing, reduction syringe. See *Reduction syringe liposculpturing*.
- Liposuction, adipose tissue biochemistry and. See *Adipose tissue*.
- and the law. See *Law*.
- anesthesia for. See *Anesthesia*.
- blood loss during, 444, 463-468
- cannula design in, 468
- epinephrine solutions in, 466-468
- total per 100 cc of aspirate, 463, 466
- cannula manipulation in, 396
- costs of, 452-453
- fat harvesting for, 396
- for axillary hyperhidrosis. See *Axillary hyperhidrosis*.
- for gynecomastia. See *Gynecomastia*.
- for hand rejuvenation. See *Hands*.
- hematocrit in, 444-445, 466
- historical aspects of, 381-383, 421, 451-452, 483
- dermatologic surgeons in, 381-383
- pioneers in, 381
- in flap elevation and mobilization, in reconstructive surgery. See *Reconstructive surgery*.
- instruments and equipment for, 416
- nonaesthetic, indications for, 412-413
- of abdomen, 399, 404-405
- of arms, 399-400, 402-404
- of breasts, in men, 404, 417
- of buttocks, 406-408, 409-410
- of calves and ankles, 411-412, 419
- of face and neck, 399, 402, 416-417
- of flanks, 398-399, 405-406, 418

- Liposuction (*Continued*)
 of hips, 406-409, 418
 of infraumbilical area, 417-418
 of knees, 410-411, 418-419
 of lipomas. See *Lipomas*.
 of supraumbilical area, 417
 of thighs, 398, 406-408, 418
 of waist, 408-409
 postoperative dressings for, 423
 procedure for, 397-398
 reduction syringe liposculpturing. See *Reduction syringe liposculpturing*.
 safety of, 454-455, 563-568
 anesthesia and, 564-565
 complications and, 566-568
 laboratory work-up and, 564
 medical history and, 563-564
 patient selection and, 563
 physical examination and, 564
 postoperative care and, 565-566
 technique and, 565
 volume of fat aspirated and, 564
 surgical methods for, 396
 techniques for, 395-396
 tumescant. See *Tumescant technique*.
 variations on, 457-461
 anesthesia in, 458-459
 equipment in, 460
 patient population in, 457-458
 preoperative procedures in, 459-460
 source of information on, 457
 training dermatologists in, 581-582
 with facelift surgery. See *Facelift surgery*.
- Livedo reticularis, 347-354
 acquired, 348-352
 disease-associated, 348, 350-352
 idiopathic and/or asymptomatic, 348
 congenital, 347-348
 in lupus erythematosus, 361
 physiologic microanatomy of, 347
- LM 2000 machine, in liposuction, 463
- Loiasis, vs. Wells' syndrome, 291
- Love handles, liposuction of, 398-399, 405-406, 418
- Loxoscelidae, bites due to. See *Spiders*.
- Lupus erythematosus, anti-Ro/SS-A autoantibody-associated, 751-758
 clinical and laboratory features of, 753
 molecular characteristics of, 756
 pathogenesis of, 751-753
 Ro antigen-specific T cells in, 755-756
 Ro autoantibody in, 753-755
 eye involvement in, 302
 skin lesions in, 355-365
 acute, 360-361
 bullous lesions, 361
 livedo reticularis, 350, 361
 photosensitivity, 360
 urticaria, 361
 vasculitis, 361
 chronic, 355-358
 hypertrophic and/or verrucous lesions, 356
 lesions of palms and/or soles, 356, 358
 panniculitis, 358
 cosmetic problems of, 361-362
 mucosal involvement, 361
 patient evaluation in, 361
 subacute, 358-360
 deficiency of second component of complement, 360
 therapy for, 362-364
- Lycosidae, bites due to, 284
- Lymphedema, of hands, due to occupational trauma, 205-208
- Lymphocyte syndrome, immune system organization in, 595
- Lymphokine receptors, immunotherapy directed at, 603-605
- Lymphokines, in regulation of humoral and cellular immune response, 600
- Lymphoma, in acquired immunodeficiency syndrome, 782-783
 of gastrointestinal system, in dermatitis herpetiformis, 764
- Lymphomatoid granulomatosis, clinical features of, 337-338
- Mace, contact dermatitis due to, 89
- Madelung's disease, liposuction for, 490
- Magnolia grandiflora*, contact dermatitis due to, 81-84
 case report of, 81
 histopathologic findings in, 81-82
 patch testing for, 82
- Malignant melanoma, preoperative evaluation of, in surgical patient, 788
- Mast cells. See *Immediate hypersensitivity reactions*.
- Mastectomy, liposuction subcutaneous, for gynecomastia. See *Gynecomastia*.
- McGahn syringe, in liposuction, 446, 459
- Melanoma, malignant, preoperative evaluation of, in surgical patient, 788
- Melasma, in pregnancy, 327-328
- Meningitis, cryptococcal, in acquired immunodeficiency syndrome, 781
- Mercury, in amalgam dental restorations, contact dermatitis due to, patch testing for, 157-160
- Mesostigmata, dermatitis due to, 266-269
- Metals, contact dermatitis due to, allergen control in, 202-203
 patch testing for, 27-31
 materials and methods in, 27-28
 application methods, 28
 statistical methods, 28
 results of, 28
- Methotrexate, for pemphigus, 692
- Microscopy, light and electron, of castor bean dermatitis, 182-185
- Midges, bites due to, 239
- Minoxidil, 367-375
 for alopecia areata, 369
 for androgenetic alopecia, 369-372
 future of, 374
 pharmacodynamic properties of, 367-368
 pharmacokinetics of, 368
 safety of, 372-373
 therapeutic trials of, 368-369
 with Retin-A, 373-374
- Mites, in dermatitis, other than scabies, 265-275
 class Arachnida subclass Acari, 265-274
 Astigmata, 272-274
 Mesostigmata, 266-269
 Prostigmata, 269-272
 diagnosis of, 274-275
 in scabies. See *Scabies*.
- Molluscum contagiosum, in transplant patients, 315
- Motor nerves, preoperative evaluation of, in surgical patient, 788-789
- Muir-Torre syndrome, in transplant patients, 318

- Mycobacterial infections, in acquired immunodeficiency syndrome, 779-780
- Mycosis fungoides, occupational exposure and, patch testing for, 169-171
- Myiasis. See *Flies*.
- Nails, sculptured, permanent paresthesia due to, 139-141
- Nasturtium, contact dermatitis due to, 77-80
case report of, 77
patch testing for, 77-79
materials and methods in, 77-79
results of, 79
- Neck, liposuction of, 399, 402, 416-417
- Necrotizing vasculitis, clinical features of, 336-337, 338-341
- Neomycin, contact dermatitis due to, 134
- Neoprene glue, contact dermatitis due to, 131
- Neuroleptics, preoperative evaluation of, in surgical patient, 792
- Nevi, nevocellular, in pregnancy, 327
- Newman cannula, in liposuction, with facelift surgery, 508, 510
- Niacinamide, for pemphigoid, 710
- Nickel, contact dermatitis due to, 37-40, 41-44, 45-47, 97, 99, 102, 122
and hand eczema, 38
in medical workers, 45-47
causes of, 45-46
prevalence and incidence of, 45
role of nickel allergy in, 45
metal implants and, 39
oral intake and, 39
patch testing for, irritation due to, Doppler flowmetry to assess, 41-44
materials and methods in, 41
results of, 41-43
prevalence, incidence, and trends in, 37-38
treatment and prevention of, 39-40
why and how to diagnose, 38
- N-isopropyl-N'-phenylparaphenylenediamine, contact dermatitis due to, 128, 129, 130, 131
- Nitrofurazone, airborne, contact dermatitis due to, patch testing for, 165-168
- Nitroglycerin disks, adherent, contact dermatitis due to, 99-100
- Norwegian scabies, 257, 259, 260
- Nutmeg, contact dermatitis due to, 89
- Nystatin, contact dermatitis due to, patch testing for, 153-155
- Obesity, adipose tissue biochemistry in, 387
- Onchocerciasis, vs. Wells' syndrome, 291
- Organ transplants, allograft rejection in, inhibition of, monoclonal antibodies in, 605
- Pacemakers, cardiac, contact dermatitis due to, patch testing for, 100, 189-192
preoperative evaluation of, in surgical patient, 791
- Palmar erythema, in pregnancy, 328
- Papillomavirus, in transplant patients, 314-315
- Papular dermatitis, in pregnancy, 332-333
- Paresthesia, permanent, due to sculptured nails, 139-141
- Parotid gland, preoperative evaluation of, in surgical patient, 790
- Paroxysmal nocturnal hemoglobinuria, complement system in, 616
- Patch testing, for contact dermatitis. See specific allergens, e.g., *Spices*.
- Pediculosis, 219-228
biology of, 219-220
due to body lice, 222-224
treatment of, 223-224
due to head lice, 220-222
treatment of, 221-222
due to pubic lice, 224-227
treatment of, 227
- Pemphigoid, 701-716
cicatricial, 710-713
clinical features of, 701-702
direct immunofluorescence studies of, 704-705
histopathology of, 704
in diabetes mellitus, 703
in lichen planus, 703-704
in malignancy, 702-703
in psoriasis, 703
in rheumatoid arthritis, 703
indirect immunofluorescence studies of, 705
pathophysiology of, 706-709
bullous pemphigoid antibodies in, 708-709
bullous pemphigoid antigens in, 706-708
complement system in, 709
inflammatory cellular events in, 709
proposed hypothesis for, 709
prognosis for, 709-710
relation with herpes gestationis, 733
treatment of, 710
- Pemphigus, 689-700
and associated diseases, 691
antigen complexes and cell adhesion junctions in, 696-697
clinical variants of, 689-691
course and prognosis of, 691
epidemiology of, 689
eye involvement in, 299-300
immunopathology of, 691-692
pathophysiology of, 695-696
treatment of, 692, 694
- Pemphigus erythematosis, clinical features of, 690-691
- Pemphigus foliaceus, clinical features of, 690
- Pemphigus vegetans, clinical features of, 690
- Pemphigus vulgaris, clinical features of, 689-690
- Penicillins, contact dermatitis due to, 177
- Permanent wave solutions, contact dermatitis due to, in hairdressers, 119, 123
- Peruvian lily, contact dermatitis due to, patch testing for, 73-76
- Phacelia* species, contact dermatitis due to, patch testing for, 67-71
- Photosensitivity, in lupus erythematosus, 360
- Pigmentation, changes in, in chloracne, 210-211
in pregnancy, 327-328
in rubber dermatitis, 51
- Pine oil, contact dermatitis due to, 98
- Piperazine, contact dermatitis due to, 135
- Plant mites, dermatitis due to, 270-272
- Plaquenil, for lupus erythematosus, 362
- Plasmapheresis, for pemphigoid, 710
for pemphigus, 694
- Platelet activating factor, as mast cell mediator, 625-626
- Pneumocystis carinii* pneumonia, in acquired immunodeficiency syndrome, 778-779
- Polyarteritis nodosa, clinical features of, 685-686

- Polyethylene glycol, vs. petrolatum, in patch testing, for contact dermatitis due to nystatin, 153-155
- Polymerase chain reaction test, for acquired immunodeficiency syndrome, 774
- Porphyria cutanea tarda, in chloracne, 211
- Porphyrias, complement system in, 615-616
- Poultry mites, dermatitis due to, 268
- Povidone-iodine, contact dermatitis due to, patch testing for, 107-109
 - materials and methods in, 108
 - results of, 108
- PPD, contact dermatitis due to, in hairdressers, 123
- PPPP syndrome, in rubber dermatitis, 52
- Prednisone, for herpes gestationis, 734
 - for papular dermatitis, in pregnancy, 333
- Pregnancy, herpes simplex infections in, acyclovir for, 585
 - skin changes in, 327-334
 - cholestasis, 332
 - edema, 329
 - hair changes, 328
 - herpes gestationis, 329, 331
 - hyperpigmentation, 327-328
 - impetigo herpetiformis, 331-332
 - papular dermatitis, 332-333
 - prurigo, 332
 - pruritic folliculitis, 333
 - pruritic urticarial papules and plaques, 331
 - striae, 329
 - vascular changes, 328
- Promethazine, contact dermatitis due to, 135
- Propranolol, preoperative evaluation of, in surgical patient, 792
- Propylene glycol, contact dermatitis due to, 98
 - patch testing for, 111-113
- Prostigmata, dermatitis due to, 269-272
- Prurigo gravidarium, in pregnancy, 332
- Pruritic urticarial papules and plaques of pregnancy, 331
- Pruritus, in contact urticaria, 57-60
 - in pemphigoid, 702
- Pseudogynecomastia, liposuction for, 404, 417
- Pseudoxanthoma elasticum, eye involvement in, 306
- Psoriasis, 737-745
 - antigen-presenting cell-T cell interactions in, 739
 - immunohistology of, 737-739
 - pemphigoid in, 703
 - predisposing to contact dermatitis, 17
 - T-cell activation in, non-MHC-dependent mechanisms of, 739-740
 - relevance to pathophysiology, 740
- P-tert-butyl-phenol-formaldehyde resin, contact dermatitis due to, 131
- Pyemotids, dermatitis due to, 269-270
- Pyogenic granulomas, in pregnancy, 328
- Pyogenic infections, recurrent, complement system in, 615
- Pyrethrin, for head lice, 222
 - for scabies, 260
- Pyrogallol, contact dermatitis due to, in hairdressers, 124
- Pyrogllyphidae, dermatitis due to, 273
- Quaternary ammonium compounds, contact dermatitis due to, 96
- Quinacrine hydrochloride, for lupus erythematosus, 362-363
- Quinidine, and livedo reticularis, 351
- Ranitidine, contact dermatitis due to, patch testing for, 115-117
- Rat mites, dermatitis due to, 267
- Reconstructive surgery, flap elevation and mobilization in, liposuction in, 493-499
 - equipment for, 497
 - historical aspects of, 493-497
 - technique for, 497-498
- Reduction syringe liposculpturing, 539-551
 - anesthesia for, 544
 - cannula manipulation in, 545-546
 - cautions in, 548, 551
 - equipment for, 539, 541
 - patient marking for, 544
 - patient positioning for, 545
 - preestimation of quantity to be resected, 543
 - preparation of area for, 544
 - results of, 551
 - steps in, 541, 543
 - technique for, 545-548
- Reiter's syndrome, eye involvement in, 304-305
- Repeated open application test, for propylene glycol dermatitis, 113
- Resorcinol, contact dermatitis due to, in hairdressers, 124
- Retin-A, with minoxidil, for alopecia, 373-374
- Retina, angioid streaks of, in pseudoxanthoma elasticum, 306
- Retinoids, for lupus erythematosus, 364
- Retractors, contact dermatitis due to, 96-97
- Rheumatoid arthritis, eye involvement in, 302-303
 - juvenile, eye involvement in, 304
- pemphigoid in, 703
- Rickettsial pox, mites in, 269
- Ro autoantibodies, in lupus erythematosus. See *Lupus erythematosus*.
- Rodent mites, dermatitis due to, 268-269
- Rubber, contact dermatitis due to, 49-55, 127, 128
 - contact urticaria in, 52-53
 - eczematous forms of, 50
 - incidence of, 49-50
 - keratoses in, 50-51
 - pigmentation changes in, 51
 - PPPP syndrome in, 52
 - contact urticaria due to, testing for, 61-66
 - materials and methods in, 61-63
 - closed patch tests, 63
 - open scratch tests, 63
 - patients, 61
 - scratch-chamber tests, 63
 - results of, 63-64
- Safety clothes, contact dermatitis due to, diagnosis of, 131
 - patch testing for, 127-132
 - diving equipment, 130-131
 - gloves and fingerstalls, 127-128
 - protection masks, 130
 - rubber boots, 128
 - safety shoes, 128-130
 - safety spectacles, 130
- Salicylic acid, contact dermatitis due to, patch testing for, 144, 145
- Sarcoidosis, eye involvement in, 309
- Sarcoptes scabiei*. See *Scabies*.
- Scabies, 253-263
 - clinical features of, 256-258
 - diagnosis of, 258-259
 - epidemiology of, 255-256
 - in cats, 262
 - in dogs, 260-262
 - in horses, 262

- in transplant patients, 318
- pathology of, 259
- role of mites in, 253-254
- treatment of, 259-260
- Scleritis, in rheumatoid arthritis, 303
- Secretan's syndrome, clinical features of, 205-208
- Senear-Usher syndrome, clinical features of, 690-691
- Sensory nerves, preoperative evaluation of, in surgical patient, 789-790
- Severe combined immunodeficiency disease, immune system organization in, 595-596
- Shampoos, contact dermatitis due to, in hairdressers, 119
- Sjogren's syndrome, eye involvement in, 303-304
- vasculitis in, 685
- Skin, changes in, in pregnancy. *See Pregnancy.*
- Skin clips, contact dermatitis due to, 96-97
- Skin diseases, eye involvement in. *See Eyes.*
- Skin lesions, in lupus erythematosus. *See Lupus erythematosus.*
- in transplant patients. *See Transplant patients.*
- Sneddon's syndrome, clinical features of, 350
- Spectrophotometry, atomic absorption, for contact dermatitis, due to chromium, 173-174
- Spices, contact dermatitis due to, patch testing for, 85-87, 89-93
 - cardamom, 89-90
 - cinnamon, 90-91
 - coriander, 90
 - curry, 85, 90
 - garlic powder, 85-86
 - Laurus nobilis*, 91-92
 - materials and methods in, 85
 - nutmeg and mace, 89
 - results of, 85-86
 - turmeric, 90
- Spider mites, dermatitis due to, 271
- Spiders, bites due to, 277-286
 - family Loxoscelidae (brown recluse spiders), 277-282
 - clinical features of, 279-281
 - diagnosis of, 281
 - treatment of, 281-282
 - venom of, 278-279
 - family Lycosidae, 284
 - family Theraphosidae, 284-285
 - family Theridiidae (black widow spiders), 282-284
 - clinical features of, 283-284
 - diagnosis of, 284
 - treatment of, 284
 - venom of, 283
- Splendore-Hoeppli phenomenon, vs. Wells' syndrome, 291
- Squamous cell carcinoma, in transplant patients, 318-319
 - preoperative evaluation of, in surgical patient, 788
- Staphylococcal infections, in transplant patients, 317
- Stevens-Johnson syndrome, eye involvement in, 300-302
- Still's disease, eye involvement in, 304
- Stings, insect. *See Insect stings.*
- Stomas, patients with, contact dermatitis in, 100-102
- Streptomycin, contact dermatitis due to, 178
- Striae, in pregnancy, 329
- Substituted thiourea compounds, contact dermatitis due to, 131
- Sulfapyridine, for dermatitis herpetiformis, 765
 - for pemphigoid, 710
- Sulfonamides, contact dermatitis due to, 178
- Sulfur, in petrolatum, for scabies, 259-260
- Sunscreens, for lupus erythematosus, 362
- Supraumbilical area, liposuction of, 417
- Surgical gloves, contact dermatitis due to, 127-128
- Surgical patient, preoperative evaluation of, 787-794
 - anatomic considerations in, 788-790
 - for lesions, 787-788
 - medical history in, 790-791
 - medication history in, 791-792
 - patient preparation for, 792-793
 - physical examination in, 792
- Suture material, contact dermatitis due to, 96-97
- Sweating, excess, liposuction for. *See Axillary hyperhidrosis.*
- Synthetic organic dyes, contact dermatitis due to, in hairdressers, 119
- Systemic drugs, contact dermatitis due to, patch testing for, 177-180
 - ethylenediamine, 178-179
 - penicillins, 177
 - sulfonamides, 178
 - tetracyclines, 177-178
- Systemic lupus erythematosus, complement system in, 615
 - vasculitis in, 685
- Takayasu's arteritis, clinical features of, 342-343
- Tarantulas, bites due to, 284, 285
- T-cell antigen receptors, 663-672
 - biochemistry of, 664
 - clinical application of, 668-669
 - genetics of, 664-667
 - ontogeny of, 667-668
 - peripheral T cells with, 669-670
 - thymic education in, 663-664
- T-cell receptor genes, molecular genetic analysis of, 597-600
- Telogen effluvium, in pregnancy, 328
- Tetracycline, contact dermatitis due to, 177-178
 - for pemphigoid, 710
- Tetranychidae, dermatitis due to, 271
- Theraphosidae, bites due to, 284-285
- Theridiidae, bites due to. *See Spiders.*
- Thighs, liposuction of, 398, 406-408, 418
- Thimerosal, contact dermatitis due to, 95
 - in hepatitis B vaccines, patch testing for, 161-164
- Thiuram rubber compounds, contact dermatitis due to, 102, 131
- Thromboembolic disorders, preoperative evaluation of, in surgical patient, 792
- Thrombosis, cerebral, and livedo reticularis, 350
- Thyroid abnormalities, in dermatitis herpetiformis, 764
- Ticks, dermatitis due to, 265-266
- Tinea versicolor, in transplant patients, 315
- Tombu flies, bites due to, 243
- Toxocariasis, vs. Wells' syndrome, 291
- Toxoplasma gondii* infections, in acquired immunodeficiency syndrome, 781
- Transdermal drug delivery systems, contact dermatitis due to, 99-100
- Transepidermal water loss, in evaluation of contact dermatitis, due to detergents, 33-35
- Transplant patients, skin lesions in, 313-325
 - anogenital carcinomas, 319
 - bacterial infections, 317-318
 - deep fungi, 315-317
 - drug effects in, 320
 - graft-vs.-host disease, 320-323
 - herpesvirus, 313-314
 - Kaposi's sarcoma, 319-320
 - molluscum contagiosum, 315
 - papillomavirus, 314-315

- Transplant patients (*Continued*)
 premalignant and malignant lesions, 318-320
 scabies, 318
 superficial fungi, 315
Triamcinolone acetonide, for lupus erythematosus, 362
Tricresyl phosphate, contact dermatitis due to, 150-151
Triphenylmethane dyes, contact dermatitis due to, 96
Trombiculids, dermatitis due to, 271-272
Tsetse flies, bites due to, 239
Tumescent technique, for liposuction, 425-437, 439-450, 458-459
 advantages of, 426-428
 ancillary aspects of, 432-433
 historical aspects and evolution of, 440-445
 lidocaine in, 433-435, 440-446
 local anesthesia for, 426
 procedure for, 428-431, 445-448
 modification of, 431-435
 safety of, 565
Tumor necrosis factor, as mast cell mediator, 624
Turmeric, contact dermatitis due to, 90
- Ultraviolet light, and lupus erythematosus, 751-753
Ultraviolet radiation, effects of, on cytokine levels, 656-657
Underwear, contact dermatitis due to, allergen control in, 201-202
Urticaria, contact. *See Contact urticaria.*
 in lupus erythematosus, 361
 vasculitis and, 683
- Varicella-zoster infections, acyclovir for, 585-586
 in transplant patients, 313-314
Varicosities, in pregnancy, 328
Vascular changes, in pregnancy, 328
Vascular disease, preoperative evaluation of, in surgical patient, 791
- Vasculitides, granulomatous. *See Granulomatous vasculitides.*
Vasculitis, 681-687
 as manifestation of systemic disease, 685
 clinical features of, 682-685
 in lupus erythematosus, 361
 large vessel, 685-686
 livedoid, 350
 pathogenesis and pathophysiology of, 681-682
 treatment of, 686
Venulitis, necrotizing, complement system in, 615
Vessel wall disease, and livedo reticularis, 348, 350-351
Viral infections, in transplant patients, 313-315
Vitamin deficiencies, preoperative evaluation of, in surgical patient, 791
- Waist, liposuction of, 408-409
Waist-hip ratio, and health risk factors, 390
Warfarin, preoperative evaluation of, in surgical patient, 792
Wasps, stings due to, 231
Wegener's granulomatosis, clinical features of, 335-337, 686
Wells' syndrome, insect bites and, 287-293
 clinical features of, 290-291
 elucidation of eosinophil granules in, 289
 eosinophilic cellulitis in, 290
 eosinophils in, 287-288
 in tissue reactions, 288-289
 vs. parasitic diseases, 291
Western blot test, for acquired immunodeficiency syndrome, 773
Wheals, in contact urticaria, 57-60
Wound healing, cytokines and growth factors in, 654-655
- Xanthogranuloma, juvenile, eye involvement in, 309

